



Trail of Flowers



Assorted Wildflowers

Wildflowers are an excellent addition to drought tolerant landscapes. Tree of Life Nursery offers a variety of customized native wildflower blends for use in southern California gardens. Seed is supplied by *S & S Seeds of Carpinteria, California*. This mixture of perennials and annuals will provide a long-lasting, unique display of color.

Botanical Name	Common Name	Flower Color	Life Cycle
<i>Baileya multiradiata</i>	Desert Marigold	Yellow	Annual
<i>Camissonia cheiranthifolia</i>	Beach Evening Primrose	Yellow	Perennial
<i>Clarkia unguiculata</i>	Mountain Garland	White-Lavendar-Pink	Annual
<i>Collinsia heterophylla</i>	Chinese Houses	Violet & White	Annual
<i>Eriophyllum confertiflorum</i>	Golden Yarrow	Yellow	Perennial
<i>Eschscholzia californica</i>	California Poppy	Orange	Annual
<i>Gilia capitata</i>	Globe Gilia	Pink to Lavendar	Annual
<i>Gilia tricolor</i>	Birds Eyes	White to Pink	Annual
<i>Layia platyglossa</i>	Tidy Tips	Yellow	Annual
<i>Linum lewisii</i>	Blue Flax	Light Blue	Perennial
<i>Lupinus bicolor</i>	Miniature Lupine	Blue & White	Annual
<i>Lupinus hirsutissimus</i>	Nettle Lupine	Blue & White	Annual
<i>Nemophila menziesii</i>	Baby Blue Eyes	Lt. Blue	Annual
<i>Phacelia campanularia</i>	Canterbury Bells	Royal Blue	Annual
<i>Sisyrinchium bellum</i>	Blue-Eyed Grass	Blue	Perennial

COVERAGE:	
1 ounce	± 150 square feet
3 ounces	± 500 square feet
6 ounces	± 1,000 square feet
12 ounces	± 2,000 square feet
1 pound	± 3,000 square feet
fifteen pounds	± 1 acre

Planting instructions: Seedbed or area to be seeded should be prepared by light cultivation and weed removal. Optimum planting season is November 15 through March 31, just prior to anticipated rain. Broadcast seed evenly over soil surface. Rake the area lightly to incorporate seed into the top 1/4" - 1/2" of soil. A top dressing of composted organic mulch (not manure) is recommended to help maintain even moisture during the germination period.

Maintenance: Irrigate just enough (between rains) to maintain soil moisture during germination. After germination until initial flowering, sprinkle the area to a depth of about 2". After flowering, little to no supplemental water should be needed. Allow the seed heads to remain after flowering. This encourages reseeding for next year.

PLANTS OF EL CAMINO REAL